Et

Notice of Allowability	Application No.	Applicant(s)
	10/764,742	WOLF ET AL.
	Examiner	Art Unit
	Kurt Fernstrom	3711
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to the Amendment filed on February 1, 2007.		
2. The allowed claim(s) is/are 1,3, 4, 6-12,14-22, 24, 25, 27-33, 35-46 and 48-53.		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal Pa 6. ☐ Interview Summary Paper No./Mail Date 7. ☒ Examiner's Amendm 8. ☒ Examiner's Stateme 9. ☐ Other	(PTO-413), e

. . . !!

Application/Control Number: 10/764,742

Art Unit: 3711

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Henry Bartony on April 30, 2007.

The application has been amended as follows:

In claim 1, line 14, the language "the working surface having sufficient surface area to provide for positioning" has been deleted and replaced with –whereby--.

In claim 1, line 15, --are positioned—has been inserted between "the moveable elements" and "around at least a portion".

The following is an examiner's statement of reasons for allowance: The newly added language pertaining to positioning the pieces around a perimeter of the surface such that they can be slid to form an equation is not disclosed or suggested by the prior art, and places the claims in condition for allowance. The invention is a device adapted for use by Braille students, and this feature, in combination with the abutment boundary and the Braille markings on the elements, has practical utility in that it more easily enables a visually impaired person to manipulate the elements to form mathematical expressions. While Olivera discloses the storage of elements around a perimeter of a

Art Unit: 3711

work surface when not in use, the storage compartments of Olivera do not allow for sliding an element from its location to the middle to form a mathematical expression, nor is there any suggestion or motivation to modify the teachings of Olivera to provide this feature without using impermissible hindsight. As a result, the claims are allowed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kurt Fernstrom whose telephone number is (571) 272-4422. The examiner can normally be reached on M-F 9:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gene Kim can be reached on 571 272-4463. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/764,742

Art Unit: 3711

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

KF April 30, 2007

KURT FERNSTROM
PRIMARY EXAMINER

Ket Fet

Page 4